

# **Force Login**

for Magento® 2

## **USER GUIDE**

Version 2.0

# Table of Contents

Introduction.....	2
Authors.....	2
Features .....	2
Installation.....	3
Post-Install.....	3
System Upgrade .....	3
Clear Cache .....	3
How to use .....	4
Whitelisting .....	4
How to configure .....	5
Administration.....	5
Navigation .....	5
Overview Grid.....	6
Detail Form .....	7
Contribution .....	7
License .....	7

## Introduction

The Force Login module for Magento® 2 allows you to restrict which pages a not logged in user is able to see. Not logged in visitors get redirected to the login page. This module is especially useful for merchants serving only a specific group of users, e.g. enterprise related business partners and need to ensure that only those users are able to browse the the website or the product catalog.

## Authors

The authos of the Force Login module for Magento® 2 is the bitExpert AG<sup>1</sup> and is maintained by Stephan Hochdörfer (S.Hochdoerfer@bitExpert.de) and Florian Horn (F.Horn@bitExpert.de).

## Features

- Force your guest visitors to log in first (or register), before allowing them to visit your pages and catalog
- Administration: Manage the whitelist rules by the GUI in the administration area
- ACL: Restrict the administration of whitelist rules to certain backend user groups
- Whitelisting: Define url rules as pattern to define which pages guest visitors can visit without logging in first
- Multistore-Support: Define if whitelist rules either apply globally or for specific stores

1 <http://www.bitExpert.de>

# Installation

The preferred way of installing the Force Login module for Magento® 2 is through Composer<sup>2</sup>. Simply add ``bitexpert/magento2-force-customer-login`` as a dependency:

```
composer.phar require bitexpert/magento2-force-customer-login
```

Optional you can download the latest version [here](#) and install the decompressed code in your projects directory under `app/code/bitExpert/ForceCustomerLogin`.

## Post-Install

After the installment of the module source code, the module has to be enabled by the Magento® 2 CLI.

```
bin/magento module:enable bitExpert_ForceCustomerLogin
```

## System Upgrade

After enabling the module, the Magento® 2 system must be upgraded.

If the system mode is set to *production*, run the *compile* command first. This is not necessary for the *developer* mode.

```
bin/magento setup:di:compile
```

To upgrade the system, the *upgrade* command must be run.

```
bin/magento setup:upgrade
```

## Clear Cache

At last, the Magento® 2 should be cleared by running the *flush* command.

```
bin/magento cache:flush
```

Sometimes, other cache systems or services must be restarted first, e.g. Apache Webserver and PHP FPM.

# How to use

The usage of the Force Login module for Magento® 2 is applied implicitly by redirecting visitors if the called URI does not match any configured whitelisted url rules.

## Whitelisting

Whitelisting is based upon the usage of rules. The rule syntax uses the RegEx<sup>3</sup> (regular expression) pattern.

By default, some static rules are already listed. The following example shows, how to add a whitelist entry for the homepage (startpage).

1. Navigate to the **Overview Grid** and use the *Add Entry* button.
2. Enter **Homepage** into the text field beside from the **Label** label.
3. Enter `/?$` into the text field beside from the **Url Rule** label.
4. Select **All Stores** from the selection field beside from the **Store** label.
5. Use the **Save** button in the upper menu. After being redirected to the **Overview Grid**, the new entry should appear to the list and the systems homepage should be available for guest visitors.

3 [https://en.wikipedia.org/wiki/Regular\\_expression](https://en.wikipedia.org/wiki/Regular_expression)

# How to configure


## Administration

The Force Login module for Magento® 2 allows you to enable or disable the module itself on the level of websites, stores and store views.

If the module is *disabled*, the whitelist ruling and the redirection are not applied. If the module is *enabled* based upon the configuration, the whitelist rules are process, which themselves are also configurable for all enabled stores or just specific ones.

After installing and enabling Force Login module for Magento® 2 with the CLI, you must be able to navigate to “Stores > Configuration > Force Login”, where you are able to configure the availability of the module for each website, store and store view.


In the administration configuration, you are also able to setup the URL the redirecting is targeting to if not whitelist rule is matching.



## Navigation

As shown in figure 1, navigate through the Magento® 2 backend menu by clicking onto the item **Customers**. You must see a new menu entry **Forced Login Whitelist**.

Enter this menu entry.



# Overview Grid

As shown in figure 2, you can add new entries by clicking on the *Add Entry* button in the upper right corner (1).

The grid (2) contains all existing whitelisted *Url Rules*, for which the forced redirect to the *Customer Login Page* is omitted.

The *Url Rules* (3) are part of a regular expression checking on the called *Url* and tries to match against the whitelist.

*Url Rules* may be related to all stores or to a specific one (4). All rules except some mandatory ones are editable (5) and removeable (6).

Forced Login Whitelist - Overview

1 Add Entry

ID	Label	URL Rule	Store	Edit	Deletion
11	Help	/help	All Stores	Edit	Delete
10	Contact Us	/contact	All Stores	Edit	Delete
9	Customer Section Load	/customer/section/load	All Stores		
8	Customer Account Forgot Password Post	/customer/account/forgotpasswordpost	All Stores		
7	Customer Account Forgot Password	/customer/account/forgotpassword	All Stores		
6	Customer Account Create Password	/customer/account/createPassword	All Stores		
5	Customer Account Create	/customer/account/create	All Stores		
4	Customer Account Logout Success	/customer/account/logoutSuccess	All Stores		
3	Customer Account Logout	/customer/account/logout	All Stores		
2	Customer Account Login	/customer/account/login	All Stores		
1	Rest API	/rest	All Stores		

## Detail Form

As shown in figure 3, you can return to the *Overview Grid* by using the *Back* button (1). The *Label* value has only declarative character and is for information purpose only (2). The *Url Rule* is part of a regular expression checking on the called

*Url* and tries to match against the whitelist (3). *Url Rules* may be related to all stores or to a specific one (4).

Persist the rule by using the *Save* button (5).

The screenshot shows the 'Forced Login Whitelist - Edit Entry' form. On the left is a sidebar with navigation links: DASHBOARD, SALES, PRODUCTS, BANC, and CUSTOMERS. The top right shows a search icon, a bell icon, and the user 'admin'. The form itself has a header bar with a 'Back' button (1), a 'Reset' button, and a 'Save' button (5). Below the header are three fields: 'Label' (2) with the value 'Help', 'Url Rule' (3) with the value '/help', and 'Store' (4) with a dropdown menu showing 'All Stores'.

## Contribution

Feel free to contribute to this module by reporting issues or create some pull requests for improvements on the github page of the Force Login module for Magento® 2<sup>4</sup>.

## License

The Force Login module for Magento® 2 is released under the Apache 2.0 license<sup>5</sup>.

<sup>4</sup> <https://github.com/bitExpert/magento2-force-login>

<sup>5</sup> <https://github.com/bitExpert/magento2-force-login/blob/master/LICENSE>